

FLORA 220Ns4

(Microsoft® Windows® 98 Operating System)







| 10 00000000 | 5 |
|--|----------|
| | 6 |
| | . 6 |
| | . 7 |
| | . 8 |
| | 9 |
| | . 9 |
| | 10 |
| | 12 |
| | 12 |
| | 12 |
| | |
| | 15 |
| | 15 |
| [| |
| | |
| | 17 |
| CD/ DMD | 18 |
| CD/ DMD | 18 |
| DMD-Vi deo [] [] [] [] | 20 |
| | 21 |
| Windows [] [] [] [] [] [] [] [] [] [| 21 |
| | |
| | 23 |
| | 23 |
| BIOS [] [] [] [] [] [] | 24 |
| | 25 |
| | 27 |
| | 28 |
| | 28 |
| | 30 |
| | 30 |
| | 31 |
| | 31 |
| Wake on LAND D D D D D D D D D D D D D D D D D D | 31 33 |
| | 23 |

| 20 000000000000000000000000000000000000 | | . 35 |
|---|-------|--------------|
| | | . 36 |
| | | |
| | | |
| | | . 37 |
| | | . 38 |
| CPU (Pentium] | | . 40 . 41 |
| | | . 41 |
| | | |
| | | |
| | | |
| 30 000000000000000000000000000000000000 | | . 43 |
| | | . 44 |
| LAN [] [] [] | | . 44 |
| LAN | | . 44 |
| | | . 44 |
| USB FD [] [] [] | | . 44 |
| | | |
| | | |
| | | . 45 . 46 |
| | | |
| VirusScan | • • • | . 48 |
| Intel SpeedStep Technology Applet | | |
| BEAMSTAR | | |
| | | . 49 |
| Norton Ghost 2002 | | . 50 |
| Easy CD Greator | | . 50 |
| Power DVD XP | | . 50 |
| SLM TEGAKI 🛛 🗎 🗎 🗎 🗎 | | |
| Acrobat Reader | | . 50 |
| CyberSupport for HTACH | | |
| | | |
| | | . 51 |
| 40 000000000000000000000000000000000000 | | . 53 |
| | | |
| | | |
| | | . 55 |
| | | . 57 |
| LANO | | |
| | | |
| | | |
| | | . 60 |


| | USB FD [] [] [] [] | 61 |
|-----|-----------------------------------|----|
| | | 63 |
| | | 63 |
| | VirusScan | 64 |
| | Intel SpeedStep Technology Applet | 65 |
| | | 65 |
| | Norton Ghost 2002 | 66 |
| | Acrobat Reader | 66 |
| | CyberSupport for HTACH | 67 |
| VŸ | /ndovs | 68 |
| | | |
| 5 🛮 | Q&A | 69 |
| | | 70 |
| | | 74 |
| | | 75 |
| | | 77 |
| | CDY DADD [] [] [] [] [] | 78 |
| | FD[] [] [] | 79 |
| | | 80 |
| | HDD[] [] [] | 80 |
| | | 81 |
| | | 83 |
| | | 84 |
| | | 88 |
| | | 92 |
| | | 94 |
| | | |
| ЦЦ | | 95 |
| | | 96 |




(0000)00000000000




- (0 0 0) 0 0 0 0 0 0 0 0 0 0 0 0 0 0














- 3 (0) 0 0 0 0 0 0 0 0 0 0





1:0000 100000000000



- **2** (00)0000000
- 3 (aaaaaaaaaa)aaaaaaaa
- 4 [0 0 0] 0 0 0 0 0 0 0 0 0 0 0 0 0















- (000000000)00000000
- (00)000000000



- 4 [0] 0 0 0 0 0 0 0 0 0 0 0





| 00000 | 0 0 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 |
|----------------|----------------------|------------------------------|
| | 256 [| |
| 640 × 480 | H gh Color (16 🛮 🗘) | |
| | True Color (32 🛮 🗎) | |
| | 256 [] | |
| 800 × 600 | H gh Color (16 🛮 🗘) | |
| | True Color (32 🛮 🗎) | |
| | 256 [] | |
| 1024 × 768 | H gh Color (16 🛮 🗘) | |
| | True Color (32 🛮 🗎) | |
| | 256 [] | |
| 1280 × 1024 *2 | H gh Color (16 🛮 🗎) | |
| | True Color (32 🛮 🗎) | |

 1:
 (16
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0

(重要)

ヒント


* [00]00000000

ППППП


0 0 0 0 0 0 0 0 0 0 0

重要










ヒント






2



[Volume Control] [] [] [




ヒント

* [0000]00000(**?**)

ヒント

- ★ [0000]00000(**▽**) 0000000000000000



- **3** [00000]000 [000000000000000]0000



4 [0] 0 0 0 0 0 0 0 0 0 0



- $oxed{1}$ [Volume Control] $oxed{0}$ $oxed{0}$ ox
- 2 0000 (000 J0000000








- (000000000)000000
- 2 (0000)00000000000000





- **7** [00] 10000000000



9 [0] 0 0 0 0 0 0 0 0 0 0



DVD- Vi deo [] [] [] []

DMA 🗆 🗆 🗆 🗆

00000

 DMD-VI deo
 DMD-ROMSCOD-RY RWI
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0

重要

ヒント

重要



||||aaaaaaaaaaa **៚**aaaaaaaaaaa

- 2 (0000 1000000000000000




3 0 0 0 0 0 0 0 0 0 0 0 0









- (0000000000)0000000000



- (000000 **1**0000000000
- 4 []]] [[[NO]]]] [[NO]]] [[NO]] [NO]] [NO]] [NO] [N





| 11 | | | | 11 | 11 | |
|----------------|----|---|--|----|----|--|
| 11 | 11 | | | 11 | 11 | |
| \blacksquare | ш | ш | | | ш | |

| Ш | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|---|-----|------------|-----|-----|-----|-----|-----|-----|-----|--|-----|--|
| Ш | | | | | | | | | | | | 3 (| Œ | | | | | | | |
| Ш | | | | | | | | В | I C | S [|] [|] [|] [|] [|] [|] [|] [| |] [| |
| Ш | | | | | | | | | | | | | | | | | | | | |

| - 10 | 400 | - 0 | - | 0 | 0 | 0 | Contra . | n | 0 | 0 | - | n | - | 0 |
|------|-----|-----|---|---|---|---|----------|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | - | |
| | | | | | | | | | | | | | | |

Supervisor Password

User Password

| [Main] 🛮 🖺 | [SystemTi næ] |
|------------------|--|
| [Advanced] [] [] | [Video Configuration] [[Display] [Panel Setting] |
| [Security] 🛮 🗎 | [Set User Password] [[Set Hard Disk password]*1 [] [] [] [] [] [] [] [] *1[Change Hard Disk Password] [] [Enabled] [] [] [] [] |
| [Boot] [| 0000000000 |
| [Exi t] [] [] | [Save Values & Exit] [Discard Values & Exit] [] [|

Hard Disk Password


重要

参照

重要

重要

BI 05:0 0 0 0 0 0 0



3[→][][[Security][][]

[[Security] [] [] [] [] [] []

| Phoe | enixBlOS Setup Utility | у |
|---|--|--------------------|
| Main Advanced Securit | y Boot Exit | |
| | | Item Specific Help |
| Set Supervisor Password: Set User Password: Password on boot: | [Enter] [Enter] [Disabled] | |
| Change Hard Disk Password: Set Hard Disk Password: | | , |
| Device Configration | | |
| USBO: USB1: | [Enabled] [Enabled] | |
| Audi o: | [Enabled] [Enabled] | 1 |
| CardBus: | [Enabl ed] [Enabl ed] | |
| | | |
| F1 Help ↑↓ Select Item Esc Exit ←→ Select Menu | -/Space Change Values Enter Select ►Sub-r | · |



| Password: | • |
|-----------|-----------|
| [|] |
| [|] |
| | Password: |

- - [] □ □ □ □ [ConfirmNew Password] □ □ □ □ □

ヒント

ヒント

重要

参照

- **3** _ _ _ _ _ _ _ _ _ _ _ _ [Enter] _ _ _ _ _ _ _

Setup Notice


Changes have been saved. � [Continue]

- 4 [Enter] [] [] [] [

Setup Warning

Passwords do not natch. �
Re-enter password. �
[Continue]

- 0000000000000
- 1 (Esc) | | | | | | |
 - [[Exit] [] [] [] [] [] [] [] []



L-Sal

| 1 B (5) | |
|---|---|
| 2 [Set Supervisor Password] [] [[Set User Password] [] [] [Enter] | |
| 3 [Enter Current Password] [] [] [] [] [] [] [] [] [] [| |
| 4 000000000000000000000000000000000000 | |
| 5 B CS | |
| | |
| HDD | 重要 ⊚ 000000000000000000000000000000000000 |
| 1 [Change Hard Disk Password] Enabled] | |
| 2 [Set Hard Disk Password] [Enter] | © 000000000000000000000000000000000000 |
| | |
| 3 00 8000000000000000000000000000000000 | |

📋 🛮 🔻 🖺 🖺 [ConfirmNew Password] 🗎 🗎 🗎 🗎

4 _ _ _ _ _ _ _ _ _ _ _ _ _ [Enter] _ _ _ _ _ _ _ _ _

Setup Notice

Changes have been saved. � [Continue]

Setup Warning

Passwords do not natch.� Re-enter password.�

[Continue]

5 [Enter] [[[[[[[[[

[] [Security] [] [] [] []

| - | |
|--------|---|
| 1 | [Set Hard Disk Password] |
| 2 | [Enter Current Password] |
| 3 | 00000000000000000000000000000000000000 |
| 4 | |
| | |
| [| |
| [1 | [Set Hard Disk Password] [Enabled] [Set Hard Disk Password] |
| | [Set Hard Disk Password] |
| 2 | [Set Hard Disk Password] |

| | Wake | on | LAN | | | | | |
|--|------|----|-----|--|--|--|--|--|
|--|------|----|-----|--|--|--|--|--|

| Wake on LAN□□□□□□ |
|---|
| |
| Wake on LAN [] |
| VV ndows [] [] |
| |
| 1 [|
| |
| 2 [0 0 0 0 0] 0 0 0 [0 0 0 0 0 0 0 0 0 |

便要


- 1000000000000

- **3** [→] [] [] [] [Advanced] [] [] []
 - [[Advanced] [] [] [] [] [] []
- **5** [Esc] [] [] [] [] []
 - [[Exit] [] [] [] [] [] [] [] []
- 7 [\leftarrow] [] [] [\rightarrow] [[[Yes]]] [[[Enter]]]] [] [

ヒント



- **1**00000000000
- **3** [→] [] [] [] [Boot] [] [] []
 - [Boot] [] [] [] [] [] [] []
- **4**[↓]]]]][Boot Sequence]]]]][Enter]]]]]
 - [Boot Sequence] [] [] [] [] [] [



- 6 0 0 0 0 0 0 0 0 5 0 0 0 0 0 0

2[]



| œu 🛮 | HDD] [] [] | | | | | |
|------|------------|---|--|--|--|--|
| | | $\ \square \ \square \ \square \ \square$ | | | | |
| | | | | | | |



| 0.0 | 0.0 | 00000 | |
|-----------|-----|-------|--|
| | | | |
| 00000000 | | | |
| HDD [] [] | | | |

重要

| Γ |] | | | |
|---|---|--|--|--|
| L | J | | | |



0000000

- 1 (0000)000 (00) (00000000)00000 000(0000000)0000(00000)000000






- © [000000000]-[0

- **3** (00)00000000000
- **5** (00)0000000000



[Vi/ndows | | | | | | | | |

- $oldsymbol{1}$ [$oldsymbol{1}$ [$oldsymbol{0}$ $oldsymbol{0}$ oldsymb



重要

重要

1 (0000)000 - (00) - (00000000)00000 000(0000000)0000 (00000)000000



3 (00)00000000000

ヒント

ヒント

CPU [] [] (Pentium] [] []

参照

Intel SpeedStep Applet □ □ □ □
□ □ → 4 □ □ □ Intel SpeedStep

Technology Applet □ (P. 65)


- 1 (0000)000 (00) (00000000)00000 000(0000000)0000(00000)000000



| 0000000000000 |
|-------------------------|
| [[Shi ft] |
| HDD [] [] [] [] [] |
| |
| |







3[]

| LAN C C C |
|--|
| LANDO DO D |
| |
| USB FD |
| |
| |
| [Intel(R) 82830M Graphics Controller [] [] [] |
| |

重要

ヒント

- 000000000000000000

- 5 (aa)aaaaaaaaaaa

重要

ヒント

* d[07/D/D[] [] [] []

- 4 [X] NOOOOOOOOOO

- [] Windows [] [] [] [] [] [] []
- 0000000000000000000



ヒント

- 5 VVndows | | | | | | | | | | |



0000000000000

- 3 (0000)000000000000000
- **5** (000000)0 (00)0000000000000

ヒント

重要

- - 00000000 **VEP40**000000000000

 - (1) [VEP__] [[128bit] _ _ _ _ _ _ _

Vi rusScan

□ VirusScan : □ □ □ □ □ □ □ □ □ □ □

 ヒント

| Vi rusScan 🛮 🗎 🗎 🗎 🗎 🗎 | |
|-----------------------------------|----------------------------------|
| VirusScan | |
| Intel SpeedStep Technology Applet | |
| | 参照 □ □ □ □ □ □ → 2 □ □ □ (P. 40) |
| BEAMSTAR [] [] [] [] | |
| | |
| | |

Norton Chost 2002

Easy @ Creator

Power DVD XP

SLM TEGAKI | | | | | | | | | |

Acrobat Reader

Cyber Support for HTACH

重要

参照

□ □ □ □ □ □ □ →□ □ □ □ □ □ □ □ □

*programs **ydnost **readme.txt □

*programs **ydnost **Documents **Ydnost _

gui de.pdf

参照

参照

| 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
|---------------------------------------|
| VV ndows |
| Windows |


4[

| | П | П | П | |
|--|---|---|---|--|
| | Ш | ш | | |

| 1 [0] 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
|--|
| |
| 2 [|
| 3 (0) 0 0 0 0 0 0 0 0 0 0 |

重要

ヒント



| | 00000000 | 000 |
|--------------|--------------|--|
| | 0000 ×000 | 00000000000000000000000000000000000000 |
| | | |
| 00000000 | | |
| LAN [] [] [] | | |
| | | |
| | | |
| LAN | | |
| | | |
| USB FD | | |

ヒント

重要



- - [] [Intel(R) 830M Chipset Graphics Driver Software]]]]]]]]

重要

ヒント

* d[CD/ DAD[[] [] [] [] [

- **5** 🗠 🗠 🖰 🖰 🖰 5 🗢 5 🗠 5 🗠 5
 - | Windows | | | | | | | | | | |
- 0000000000000





4 (00)0000000000

重要

ヒント

ヒント





- 1 (0000)000 (0000000000)0000000
- 3 (aa)aaaaaaaaaa





(重要)

ヒント

5₀₀₀₀₀₀∞₀₀₀₀₀₀₀₀₀

| Windows | | | | | | | | | | | |

LAN

3(0000 00000)000 (000000 0000)0000

4 [Realtek RTL8139/810x Family Fast Ethernet N.C] [] [] [] [] [] [

5 (0000)000 (0000000)0000000000

6(00)0000000000

8 (000000)0000000000

0 [0000000]00000000

ヒント

重要

ヒント

* d[CD/ DVD[[] [] [] [

| 1 | Realtek RTL8139/81.0x Family Fast Ethernet N.C.] [[] [[CK] | |
|---|--|--|
| | | |
| | 00[00]00000 | |

[] Windows [] [] [] [] [] [] []



- - [] [Well cone] [] [] [] [] [] [] []

 $\mathbf{5}$ (Fi ni sh) $\mathbf{0}$ $\mathbf{0}$ $\mathbf{0}$ $\mathbf{0}$ $\mathbf{0}$

重要

ヒント

* d[02/ DVD[] [] [] [

| | [|
|------------|-----------------|
| 3 [| |
| 4 | |
| 5 | |
| _ | |
| 7 | Φ |
| [| -] [LAN |
| 1 | |

ヒント

* d 0 00 DVD 0 0 0 0 0 0

重要

| 7 | | |
|---|--|--|
| _ | c: \text{\tachi \text{ +\text{w} \text{ an\text{+set up} \ \ \ \ \ \ \ \ \ \ \ \ \ | |

- **3**(00)0000000000
- 4 (00)00000000000
- 5 (00)00000000000
- 6 (00)0000000000

USB FD [] [] [] []

- $oldsymbol{1}$ use foot use the contraction of th
- **2**(00)000000000

ヒント

- f 8 lack



| 00000000 | 00000000 | 000 |
|--|----------|--|
| | 0000×000 | 00000000000000000000000000000000000000 |
| 0000 LAN | × | × |
| Vi rusScan | × | × |
| Intel SpeedStep Technology Applet * | | |
| | | |
| Norton Chost 2002 | × | × |
| Easy CD Creator * | × | × |
| PowerDVD XP * | × | × |
| SLM TEGAN [] [] [] [] | × | × |
| Acrobat Reader | | |
| GyberSupport for Htachi | × | × |

- 1 (0000)000 (0000000000)0000000
- **3** (a a) a a a a a a a a a a

ヒント

重要

- 4(00)0000000
- 5 (00)0000000000
- **6**(00)0000000000

Vi rus Scan

- 1 (0000)000 (0000000000)0000000
- **3** (a a) a a a a a a a a a a

ヒント

* d0 CD/ DAD0 0 0 0 0 0 0

- 9 (00)0000000000

Intel SpeedStep Technology Applet



- **2** [0000]0000 [000000000]0000000





* d[07 DVD[] [] [] [

Norton Chost 2002

- **2** (0000) 000 (00000000000) 0000000

Acrobat Reader

- $\mathbf{1}$ ay exp $\mathbf{0}$ $\mathbf{0}$
- **2** (0000 1000 (00000000000 10000000

ヒント

* do CD/ DVD 0 0 0 0 0 0 0

参照

ヒント

* d[CD/ DVD[[] [] [] [

Cyber Support for HTACH

- $\mathbf{1}$ as exposing a substitution of $\mathbf{1}$
- **2** [0000]000 [0000000000]000000
- 3 d:¥install¥cybersupport¥setup[][][][][OX][][][][][][][][][]
- $5 \, {\color{red} \,}{\color{blue} \,}{\color{bl$



* d O O DVD 0 0 0 0 0 0 0



ヒント

* d[CD/ DAD[] [] [] []



- (0000)000-(00)-(000000 000)0000000

[]














3[000]00000000000


0000000000000000

- 3[00]00000000



@ 0000000000 *A*








@

@ 0000000000000000

A








Q Q _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ [Volume Control] _ _ _ _ _ _ _ _ _ _ _ _ _ _ Q



Windows [] [] [] [] [



参照



(C) (D) (1) (1) (1) (1) (1) (1)

 $oldsymbol{A}$

参照

| O O O O O O O |
|---|
| DMD-V1 deo |
| DMD-Vi deo |
| |
| 0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| 0 |
| 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| □ CD→ RV RW[] □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ |
| □ Œ R/RW□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ |
| 0 |
| |
| FD[] [] [] |
| |
| Q |
| |
| Q FD0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| © FDD |
| © FDD |
| © FDD |
| © FDD |

参照

| A] FD:::::::::::::::::::::::::::::::::::: |
|---|
| |
| |
| HDD[] [] [] [] |
| |
| |



Q

 \boldsymbol{A}



 \boldsymbol{A}

重要

参照

参照

Q \boldsymbol{A} Q _ LAN_ _ _ _ _ _ _ _ _ _ \boldsymbol{A} Q LAN [] [] [] [] \boldsymbol{A} _ _ _ _ HUB _ _ _ _ _ _ _ _ 10BASE-T/


参照

参照

Q _______10_____10BASE-T__ HJB _______________________SQE______ _ _ _ _ SQE_ _ _ _ ON _ _ _ _ 10BASE-Q \boldsymbol{A} Q ァイルタイプ すべてのフォルダを同じ設定で表示できます。 全フォルダをリセット(R) = タイトル パーにファイルのパス名を表示する フォルダとデスクトップの項目の説明時をポップアップで表示する 各フォルダの表示設定を保存する • **剝されているファイルの拡張子は表示しない** 表示されないファイル ○ すべてのファイルを表示する ○ ほっファイルとシステム ファイ ○ ほしファイルを表示しない ウインドウの内容を表示したままドラッグする 3 [04] [] [] [] [] [] [] [

2[0000]000000000





Q

 \boldsymbol{A}

- 2[00000]

Q 000000000000000












 \boldsymbol{A}



```
Q
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
\boldsymbol{A}
Q
\boldsymbol{A}
3[00000000000]000000000000000000000
2 ×
ディスク クリーンアップ -
```





ヘルプ & サポート トラブルがわきたら


開じる①

ヒント

* 0000000000004

参照












- _ ActiveX_ Java_ _ _ _ _ _ _ _ _

 - 4 [OX] 🛛 🗎 🗎 🗎 🖺 🖺



- - 3[0000]-[00000000]

 - 5[0000]]]000000000[XXX00000]]00000



| (POP3) (SMTP) |] [|
|---|-----|
| | |
| 3[0000]00000000000000000000000000000000 | |

Q 0000000000000000000

4 [OX] [] [] [] [] [] [] [] []

Q \boldsymbol{A}





| | D | | 6 | ٥ | D | D | ٥ | ۵ | D | О | 0 | ٥ | D | D | ٥ | ۵ | | | |
|----------|---------------|---------|-------------|-----------------------|---------|-------|----|----|-----------------------------|----|---------------|-----------------------------|---------------------|---------|----|------------|------|-----|----|
| | | | | | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | 00 | |] [] | |] |
| <i>A</i> | | |] [] [| |] [| | | | | | | | | | | | | | |
| | hi | | | [] | | | | | | |] [] [] [] | | | _] | | <u> </u> | | ם כ | 10 |
| | | lе | d□ | | | | | | | | | | | | | | | | |
| Vi A | ru | sS | can | U VSI | hi el (| d 🛮 🖸 | | | | | | | | | | | | | |
| | | ru: | | an 🛮 | | | | | | | | | | | |] [] [| | | |
| | | |] | | | | | | Vai I FD | | |] [[] []] [] [] | | | | | | | |
| | Vi U VS | ru: | sSc leld | an [] []] [] [| | | | | | | | |] [] []] [] | | | | | | |
| |]]] | | | | | | | | □ □ □ □] | | _] |] | | | | | | | |




| 0 |
|---|
| 0 0 0 0 0 0 0 0 0 0 H TAC 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| 000000 |

| 参照 |
|-----------------|
| HTACOOOOOOOOOOO |
| |
| |

| | 00000 | 0000 | FAX[] [] | |
|----------------------------|--|---|----------|--|
| 000000000 | 0000 00000 000000000 00000000000000000 | e-mail: internet-marks@h.i e-mail | | |
| Easy CD Creator | | | | |
| Norton Ghost 2002 | | | | |
| PowerDVD XP | H TAC | 0120- 2580- 91 | П | |
| Acrobat Reader | | | | |
| GyberSupport for H TACH | | | | |

 $^{*\ 2002\ \}boxed{}\ 11\ \boxed{}\ \boxed{}\ \boxed{}\ \boxed{}\ \boxed{}\ \boxed{}\ \boxed{}\ \boxed{}\ \boxed{}$



| Acrobat Reader 50, 66 | |
|---|---|
| B BEAMSTAR 49 BICS Utility 24 Boot Menu 33 | 49, 65 |
| C CyberSupport for HTACH 50, 67 | |
| D DMA [] 20 DMD-Vi deo 20 | |
| H HDD[[] [] 36 | |
| | U 0 0 0 0 0 36 0 0 0 0 0 0 0 0 15 |
| I RQ 22 L LAN 44, 58 | |
| Norton Chost 2002 50, 66 | |
| Power DVD XP 50 | |
| SystemSecurity 25 | |
| U USB FD[[] [] 61 | [] [] [] [] [] 55 |
| USBFD | |
| VirusScan 48, 64, 94 Volume Control 16 VShield 94 | |
| W Valke on LAN 31 VVndows 21 | |
| W/ndows [] [] [] 68 | |
| | |

| [|
|---|
| |
| |
| © |

Copyright © Hitachi,Ltd. 2002. All rights reserved.

HITACHI